



Tcp MDT

aplitop

Digital Terrain Model – V8.5 Standard


Introduction

This application is ideal for all kind of surveying projects, modeling the terrain, drawing profiles, calculating volumes and visualizing the terrain in 3D. Its main users are public administrations, construction companies, engineering, architecture and town planning studies and companies involved in earthworks, running quarries, mining, the environment etc. as well as free-lance professionals.

MDT is an application that is installed as a plugin on AutoCAD, BricsCAD, GstarCAD or ZWCAD. It offers a powerful set of tools for easy learning and has a modular structure. It shows great versatility through the import and export of files in the most common formats, such as LandXML, DWG and many more. In addition, APLITOP is a pioneer in the integration of topographic and road data in OpenBIM workflows, through the IFC format and the extensions IFC Alignment and IFC Road.

Topographic Points

The program starts to run from coordinates obtained by total stations or GNSS receivers, converting files from field applications. If TcpET or TcpGPS has been used, in addition to the coordinates, the raw data of the observations are imported, as well as the linked photographs and voice notes.




It is also possible to create new points from CAD entities drawn by other programs. If codes have been assigned to points in the field, the program will automatically draw the planimetry and blocks defined by the user. In addition, we can run all kinds of editing and filtering operations.

🎯 Surfaces

Break lines can be defined graphically, by sequence of points, codes or by importing files. Triangulation can be created from points, with or without break lines and by applying angle or maximum length controls. There are also options for flat triangles minimization and automatic gap repair.

Topographic surfaces of natural terrain and geotechnical layers can be created from survey data or seismic profiles. There are commands for interactive editing of the surface, and it also offers tools to detect and repair errors. The surfaces can have multiple boundaries or islands, and can be drawn as lines, 3D faces or meshes.




The program includes the import and export of the most common formats, including CAD applications, BIM, machine control, 3D modeling and virtual reality.

🎯 Cartography and Contour Lines

MDT can generate contours with an interval or at special elevations and they are updated automatically with each change in triangulation. The contours can be labelled manually or automatically with style, and additional labels to be placed anywhere on the surface.


There are also other commands for interpolating, breaking and joining contours, adding vertices, editing contours, discretizing polylines and splines, detecting elevation errors etc. Other tools allow to import and export point, lines and polygon GIS files in shape, GML, GeoJSON and more formats. You can also import vector data from entity web services (WFS).



Meshes

Meshes may be created from a surface, contours, 3D entities or mesh files in various known formats (Arc/Info, LAS, GeoTIFF, etc.) or web coverage services (WCS). Large files can be converted from LiDAR or photogrammetry applications, with the possibility of resampling and without the need to draw them in CAD.

It also has commands for mesh processing such as joins, filtering and resampling, smoothing, removing peaks, filling gaps, etc. They may be represented as 3D faces, polyface mesh or image, all being suitable for export to realism and animation programs.




Alignments



The horizontal alignments which will be used on longitudinal profiles and cross sections may be created easily from polylines or by importing files in the most common commercial formats as LandXML, IFC, etc.

Profiles

Longitudinal profiles and cross sections may be calculated from a surface, 3D cartography or by regression of points near the alignment. The drawing is totally customizable: model or paper space, sheet templates, text style and size, labels and numeric data, customized blocks, etc.

The profiles may be updated automatically when the original alignment or surface have changed. Furthermore, it has a powerful profile interactive editor. You can simultaneously draw several profiles on different layers to show the different evolution stages of a terrain. It also has tools for projecting 3D polylines or points in the profiles, viewing in real time of cross sections based on the position of the cursor on the ground plan and many more tools.






🎯 Volumes

Cut and fill volumes can be calculated from a comparison between meshes, surfaces or cross sections. The results of meshes and surfaces are represented by areas using color palettes, with a customizable legend and interval.



Calculation by profiles allows the application of the curvature corrections in line with the geometry of the alignment on the ground plan and excluding intervals that do not take part of the measurement.



🎯 Images

MDT has commands for inserting georeferenced images and orthophotos in their real position on the terrain and assigning them to a surface or assigning predefined textures to surfaces, and place photos with position at their real location on the map.


It also allows access to the web map services (WMS, WMTS) provided by public and private entities in such a way that the user must only specify a window, choose the service and the program will automatically insert the image in the right place on the drawing. Another utility enables the user to export points, surface and layers of the drawing to Google Earth.




Maps - Render

MDT can draw a 3-D mesh based on contours or surface and maps of heights, slopes, orientations or visibility from a point can be generated. It includes a powerful terrain viewer in which the lighting conditions can be changed and simulate phenomena such as fog, rain, wind, etc.

It includes a ready-to-use library of textures to apply to models, and another of 3D objects with trees, vegetation, rocks, signs, street furniture, etc. useful to enhance presentations. Another interesting feature is the total immersion in the field through Virtual Reality technology, using Oculus Rift headset and moving freely with the X-Box gamepad.






Plots

This menu includes options for creating and editing plots and buildings. It also has tools for plot division by area, parallel and perpendicular to one side, azimuth, length of facade, etc. Other utilities allow you to dimension parcels, label vertices coordinates and length of sides, generate reports and presentations, etc.

The data can be exported to standard formats such as GML and LandXML, shape for GIS projects and other specific ones required by the Cadaster in countries such as Spain, France, etc.






APLITOP is actively collaborating with buildingSMART International for the development and implementation of the IFC Alignment and IFC Road formats, which aim to simplify the exchange of road and infrastructure data through the BIM methodology.

MDT can import IFC (Industry Foundation Classes) format files having surfaces and alignments. Properties and properties set can be defined as established in the technical specifications and BIM Execution Plans, as well as applying classifications of objects.


It makes possible to use data generated by MDT in applications such as BIM Vision, Solibri Model Checker, Revit, ArchiCAD, Navisworks, Infravworks, BIMserver center, etc.



Utilities

MDT has multiple additional tools for the presentation of drawings such as the numbering of objects, draw coordinates and grids, slope drawing, division onto sheets, layer control, entity elevation etc.

The feature elevation utility allows you to quickly assign elevations to features drawn in 2D, using a surface or indicating extreme values to interpolate the rest. The support submenu offers options to open the help system and training videos, report issues or suggestions, check for updates, etc.



🎯 Reports

The results offered by MDT can be customized by the user, including its graphic representation and reports. In these you can define the header and footer content, font types, sizes and colors, add company logo, configure margins, line spacing... In addition, the reports can be exported directly to Word, Excel, text, PDF and drawing as a table in the CAD itself.

PRINT

Print Method: Load/Print/Plot/Print

Print to: File

Close after print:

Print: 1 + -

Export to: Excel, Word, .txt, CAD

Printer: OneNote for Windows 10

All Pages: 1 + - 1/ + -

Settings: Portrait Orientation

A4 Paper: 210 mm x 297 mm

Normal Margin: 10 mm (top), 10 mm (bottom), 10 mm (left), 10 mm (right)

Fonts: Arial, Times, Arial, Headers, Arial, Rows

Lists: Include Headers, All rows colors, All rows colors

POINTS LIST

Point	X (Coord. [m])	Y (Coord. [m])	Z (Coord. [m])	Code
1	336.455.906	486.1526.743	263.553	TR1
2	336.455.907	486.1526.263	263.553	TR1
3	336.455.906	486.1526.211	263.553	TR1
4	336.455.906	486.1526.667	263.553	TR1
5	336.455.906	486.1526.447	263.553	TR1
6	336.455.904	486.1526.227	263.553	TR1
7	336.455.904	486.1526.447	263.553	TR1
8	336.455.904	486.1526.667	263.553	TR1
9	336.455.904	486.1526.887	263.553	TR1
10	336.455.904	486.1526.110	263.553	TR1
11	336.455.904	486.1526.330	263.553	TR1
12	336.455.904	486.1526.550	263.553	TR1
13	336.455.904	486.1526.770	263.553	TR1
14	336.455.904	486.1526.990	263.553	TR1
15	336.455.904	486.1527.210	263.553	TR1
16	336.455.904	486.1527.430	263.553	TR1
17	336.455.904	486.1527.650	263.553	TR1
18	336.455.904	486.1527.870	263.553	TR1
19	336.455.904	486.1528.090	263.553	TR1
20	336.455.904	486.1528.310	263.553	TR1
21	336.455.904	486.1528.530	263.553	TR1
22	336.455.904	486.1528.750	263.553	TR1
23	336.455.904	486.1528.970	263.553	TR1
24	336.455.904	486.1529.190	263.553	TR1
25	336.455.904	486.1529.410	263.553	TR1
26	336.455.904	486.1529.630	263.553	TR1
27	336.455.904	486.1529.850	263.553	TR1
28	336.455.904	486.1530.070	263.553	TR1
29	336.455.904	486.1530.290	263.553	TR1
30	336.455.904	486.1530.510	263.553	TR1
31	336.455.904	486.1530.730	263.553	TR1
32	336.455.904	486.1530.950	263.553	TR1
33	336.455.904	486.1531.170	263.553	TR1
34	336.455.904	486.1531.390	263.553	TR1
35	336.455.904	486.1531.610	263.553	TR1
36	336.455.904	486.1531.830	263.553	TR1
37	336.455.904	486.1532.050	263.553	TR1
38	336.455.904	486.1532.270	263.553	TR1
39	336.455.904	486.1532.490	263.553	TR1
40	336.455.904	486.1532.710	263.553	TR1
41	336.455.904	486.1532.930	263.553	TR1

🎯 Requirements ⁽¹⁾

CAD	AutoCAD versions 2007 to 2022 and compatible versions BricsCAD Pro/Platinum versions 15 to 21 GstarCAD Professional versions 2020 to 2021 ZWCAD Professional/Enterprise versions 2012+ to 2021
Operating System	Windows XP / Vista / 7 / 8 / 8.1 / 10 in 32 and 64 bits (2)
Peripherals	Mouse or pointing device
Graphic Card	CD-ROM Reader 1280x720 pixels, compatible with OpenGL Nvidia or ATI chipset recommended
Drive	10 Gb free space
Memory	Minimum 3 Gb
Processor	Dual-core 2 Ghz or superior

(1) Consult the website for further details

(2) Operation via a remote desktop and similar services are not guaranteed, nor on virtualization platforms. Write to support@aplitop.com to ask about these special cases.

More information in <https://www.aplitop.com/products/mdt-standard>

APLITOP S.L.

Sumatra,9 – Urb. El Atabal
E-29190 Málaga (España)
Tlf: +34 95 2439771
e-mail: info@aplitop.com
Web: www.aplitop.com

The logo for Aplitop, featuring the word "aplitop" in a bold, lowercase, sans-serif font. The letter 'i' has a dot, and the 'o' is a simple circle.